




 EXPERIENCE THE
PERFORMANCE

PASSENGER CAR AND LIGHT TRUCK

PRODUCT GUIDE 2023

TABLE OF CONTENTS

GLOBAL R&D CENTRES	3
SUMMER TIRE RANGE	4
A SINGAPORE-BASED GLOBAL TIRE COMPANY	6
A STRONG PRESENCE ALL AROUND THE WORLD	8
3 PRODUCTION COUNTRIES: 1 TRULY GLOBAL TIRE COMPANY	10
PASSENGER CAR	
SportActive 2 – HIGH PERFORMANCE TIRE	12
SportActive – HIGH PERFORMANCE TIRE	14
CHAMPIRO UHP^{AS} – HIGH PERFORMANCE TIRE	16
MAXTOUR – MILEAGE TIRE	18
FE2 – COMFORT ALL AROUND PERFORMANCE TIRE	20
CHAMPIRO FE1 – COMFORT ALL AROUND PERFORMANCE TIRE	22
CHAMPIRO VP1 – COMFORT ALL AROUND PERFORMANCE TIRE	24
SUV 4X4	
SAVERO HT2 – HIGHWAY TERRAIN TIRE	26
SAVERO HT PLUS – HIGHWAY TERRAIN TIRE	28
ADVENTURO AT³ – ALL TERRAIN TIRE	30
ADVENTURO M/T – MUD TERRAIN TIRE	32
ADVENTURO A/T – ALL TERRAIN TIRE	34
SAVERO AT-S – ALL TERRAIN TIRE	36
SAVERO HT-S – ALL TERRAIN TIRE	38
COMMERCIAL VAN	
MAXMILER Pro – URBAN AND REGIONAL TIRE	40
MAXMILER-X – URBAN AND REGIONAL TIRE	42
SUPER TRAVELLER 668 – URBAN AND REGIONAL TIRE	44



• Offices / Representation Offices

Reasons for GT Radial:

- ▶ **ENGINEERED IN GERMANY**
- ▶ ESTABLISHED **WORLDWIDE**
FOR OVER 25 YEARS
- ▶ TESTED BY **DEKRA**
- ▶ EXCELLENT **VALUE OF MONEY**

GLOBAL R&D CENTRES

Location:

- ▶ R&D Centre in China
- ▶ R&D Centre in Indonesia
- ▶ R&D Centre in Akron, USA
- ▶ R&D Europe Testing Centre in Mira, UK
- ▶ R&D Centre Europe in Hanover, Germany



Apart from conducting our own research and development, we also collaborate with leading universities and research institutes around the world.

SUMMER TIRE RANGE

PASSENGER CAR

ULTRA HIGH PERFORMANCE

NEW



SportActive2



SportActive



CHAMPIRO UHP^{AS}

COMFORT - ALL GROUND PERFORMANCE

NEW



FE2



CHAMPIRO FE1



CHAMPIRO VP1

SUV 4X4

HIGHWAY TERRAIN



SAVERO HT2



SAVERO HT PLUS

MUD TERRAIN



ADVENTURO M/T

COMMERCIAL VAN

URBAN AND REGIONAL



MAXMILER Pro



MAXMILER-X



SUPER TRAVELLER 668

MILEAGE



MAXTOUR

ALL TERRAIN



ADVENTURO AT³



ADVENTURO A/T



SAVERO AT-S



SAVERO HT-S

A Singapore-based Global Tire Company

Giti Tire has been in the tire business for more than 65 years and has become one of the world's largest tire manufacturers, serving customers in more than 130 countries.

5 Research & Development (R&D) and Testing Centers
4 R&D in Germany, USA, China, Indonesia, and 1 testing center in Indonesia

5 Manufacturing Plants
3 in China, 1 in Indonesia
1 Newly opened in the US

10 Offices
Singapore, Indonesia, Malaysia, China, U.S., Canada, U.K., Germany, France and Dubai

More than
30,000 Employees
Worldwide

More than
70,000 Points of Sale
In more than 130 countries





Why Choose GT Radial Tires?

GT Radial brand tires focus primarily on quality; providing comfortable, durable, and adaptable tires for drivers of all backgrounds.

A Focus on Production and Quality Management

GT Radial's parent company (Giti Tire) sets the highest standard of quality procedures. A highly stringent quality control system and concern for the safety and quality demands in regions across the globe separates the brand from the competition.

Top Class R&D Facilities & Personnel

A team of over 600 experienced R&D engineers in five cutting-edge facilities around the world and top quality equipment ensure the upmost quality of tire production and delivery.

Awards and Recognition From the Best

The company has earned extensive recognition from highly credited organizations around the world, as well as some of the automotive industry's largest names. This includes top supplier awards from General Motors, Nissan, Walmart, and many others.

Respect Around the World

GT Radial tire products are trusted by all types of individuals, from the everyday driver to top motorsports performers. Through top performance and an extensive dealer network, the brand has a reputation for quality, performance, and safety.

A Greater Mission

Giti Tire has an environmental and humanitarian drive that ties into all its actions. The company focuses on multiple areas to properly educate people about driving and tire care, reducing energy consumption and pollution, as well as providing financial resources to help make the world a better place.



A Strong Presence All Around the World

As a Singapore-based global tire company, one of Giti Tire's strengths is its international reach encompassing distribution, facilities, OEM fitments, and brand-driven motorsports.

This begins from Giti's 10 offices, 5 manufacturing plants in three countries, and tire sales in more than 130 countries around the world, and continues with Giti's highly diverse team-members, partners, and activities globally.

Just having a number of global offices is not enough. True international-connectivity is to have all aspects of the company working together, to best execute strategy, production, and sales on both global and local levels.



International Accreditations



Giti Tire (UK) Ltd

European Tire Testing Center in Mira, UK

R&D Center in Hanover, Germany

Giti Tire Deutschland GmbH



R&D Center in Anhui, China

Giti Tire (China)
Investment Co. Ltd.



Giti Tire (M.E.A.) FZCO.



Giti Tire Pte Ltd.,
Singapore



Giti Tire (France) SAS

R&D Center in Tangerang, Indonesia

PT Gajah Tunggal Tbk.,
Indonesia

Giti Tire (Malaysia)
Sdn. Bhd



3 Production Countries:

1 Truly Global Tire Company

When you put on a set of Primewell Tires on your vehicle, you can be confident that your tires have been put through one of the most rigorous and comprehensive quality control systems in the industry.



Factories in Indonesia, China, and the a full new tire production facility in South Carolina of the United States

All plants have obtained ISO/TS16949:2002 accreditation (the highest standard of quality control) and ISO14001 Environmental Management System Accreditation

Five Giti facilities have an annual capacity of more than 110 million tires

Very strict quality controls and inspections at each stage of the production process to ensure that each component meets relevant specifications and standards



One of Giti's five manufacturing bases



A Giti Tire production line

Partnerships with Many Top Auto Manufacturers

Giti Tire has continued to strengthen its ambitions and relationships integral to developing its original equipment manufacturer (OEM) business. In conjunction with the company's strong developments in core areas such as technology, marketing, and quality management, Giti Tire has been awarded many contracts by existing and new OEM partners. This not only provides a steady demand from automotive producers themselves, but also increases demand and brand recognition in replacement markets.

In order to work more closely with our strategic partners, Giti Tire has employed dedicated OEM specialists in key markets around the world, and is continuously adding new partnerships and fittings.

Giti Tire continues to strengthen its organization and invest in new technology to meet the rising demands of OEM partners. Along with new product development and replacement sales, this will enable Giti Tire to continue to grow market share in coming years.

Supplying more than
260 models worldwide





HIGH PERFORMANCE TIRE



16–21 Inch



Speed Rating: V–Y



35–55 Series

SportActive 2 **NEW**

“The SportActive 2 brings great performance upgrades for premium and sports car drivers, including top control and performance attributes. Its braking and handling offers strong advantages over others in its class.”



Sports



UHP




Asymmetrical



Handling




Wet Handling



SportActive 2

LI Load Index  Speed Rating XL Extraload

Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
16	195/45R16	84	V	582	320AA A	8.0	BSW
	205/45R16	87	W	590	320AA A	8.0	BSW
	215/45R16	90	V	600	320AA A	8.0	BSW
17	205/40R17	84	W	596	320AA A	8.0	BSW
	215/40R17	87	W	604	320AA A	8.0	BSW
	205/45R17	88	W	616	320AA A	8.0	BSW
	215/45R17	91	W	626	320AA A	8.0	BSW
	225/45R17	94	Y	634	320AA A	8.0	BSW
	235/45R17	97	Y	644	320AA A	8.0	BSW
	245/45R17	99	W	652	320AA A	8.0	BSW
	255/35R18	94	Y	635	320AA A	8.0	BSW
18	225/40R18	92	Y	637	320AA A	8.0	BSW
	235/40R18	95	Y	645	320AA A	8.0	BSW
	245/40R19	97	Y	653	320AA A	8.0	BSW
	225/45R18	95	Y	659	320AA A	8.0	BSW
	235/45R18	98	W	669	320AA A	8.0	BSW
	245/45R18	100	Y	677	320AA A	8.0	BSW
	255/45R18	103	W	687	320AA A	8.0	BSW
	255/55R18	109	Y	737	320AA A	8.0	BSW
19	225/35R19	88	Y	641	320AA A	8.0	BSW
	235/35R19	91	Y	647	320AA A	8.0	BSW
	245/35R19	93	Y	655	320AA A	8.0	BSW
	255/35R19	96	Y	661	320AA A	8.0	BSW
	225/40R19	93	Y	663	320AA A	8.0	BSW
	235/40R19	96	Y	671	320AA A	8.0	BSW
	245/40R19	98	Y	679	320AA A	8.0	BSW
	255/40R19	100	Y	687	320AA A	8.0	BSW
	275/40R19	105	Y	703	320AA A	8.0	BSW
	225/45R19	96	Y	685	320AA A	8.0	BSW
	235/45R19	99	Y	695	320AA A	8.0	BSW
	245/45R19	102	Y	703	320AA A	8.0	BSW
	255/50R19	107	Y	739	320AA A	8.0	BSW
	235/55R19	105	W	741	320AA A	8.0	BSW
	255/55R19	111	Y	763	320AA A	8.0	BSW
20	245/35R20	95	Y	680	320AA A	8.0	BSW
	255/35R20	97	Y	686	320AA A	8.0	BSW
	275/40R20	106	Y	728	320AA A	8.0	BSW
	245/45R20	103	Y	728	320AA A	8.0	BSW
	255/45R20	105	W	738	320AA A	8.0	BSW
	265/45R20	104	Y	746	320AA A	8.0	BSW
	275/45R20	110	Y	756	320AA A	8.0	BSW
21	295/35R21	107	Y	739	320AA A	8.0	BSW

FEATURES & BENEFITS

- ▶ Balanced, stiff shoulders for **precise steering and immediate response**
- ▶ Innovative new tread compound for extremely **short braking distances** – Wet label A
- ▶ Strong center section for **high speed stability** and dry braking
- ▶ **Micro sipes** provide suction effect for **enhanced grip**
- ▶ 3 Wide grooves and an additional groove on the outer section for exceptional water drainage (5 grooves for >265mm)
- ▶ **Optimized pattern block** geometry & sequence for low noise and smooth riding





HIGH PERFORMANCE TIRE



17-19 Inch



Speed Rating: V-Y



35-40 Series

SportActive

"The SportActive has been specially developed for high-performance premium vehicles and offers outstanding traction and instantly responds to steering inputs. It provides maximum control in wet and dry conditions."



Sports



UHP



Asymmetrical



Handling



Wet Handling

FEATURES & BENEFITS

INNOVATIVE NEW PROFILE

Firm high speed HANDLING and ULTIMATE GRIP

NEW BLOCK STIFFNESS

Optimal CORNERING and handling



NEW TOP TREAD COMPOUND

Endures long durability and constant performances throughout the tire life.


SPECIAL DESIGN WIDE GROOVES AND SIPES


Short braking distances on wet and dry roads, REDUCED AQUAPLANING

SportActive

HIGH PERFORMANCE TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
17	245/40R17	91	Y	628	320A A	7.7	BSW
	255/40R17	98	Y	636	320A A	7.7	BSW
18	265/35R18	97	Y	643	320A A	7.7	BSW
19	225/35R19	88	Y	641	320A A	7.7	BSW

LI Load Index  Speed Rating **XL** Extraload



HIGH PERFORMANCE TIRE



15 –20 Inch



Speed Rating: V–Y



40–55 Series

CHAMPIRO UHP^{AS}

For vehicle owners requiring Ultra-High Performance or grand touring tires, the CHAMPIRO UHP^{AS} delivers excellent straight-line stability, cornering grip, and braking capabilities in both dry and wet conditions, providing excellent grip and long tread life.



FEATURES & BENEFITS

FULL DEPTH SIPES

Provides improved all season performance throughout the life of the tire

RIM PROTECTOR

Protects wheels from curb damage



ADVANCED TREAD COMPOUND

New tread compound delivers improved wear life and all season performance

FOUR WIDE CIRCUMFERENTIAL GROOVES

Reduces hydroplaning for improved wet performance


CENTER RIB DESIGN


Delivers straight line stability and crisp steering response

CHAMPIRO UHP^{AS}

HIGH PERFORMANCE TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	195/55R15	85	V	595	500A A	8.2	BSW
16	195/50R16	84	V	602	500A A	8.2	BSW
	205/50R16	87	V	612	500A A	8.2	BSW
	225/50ZR16	92	W	632	500A A	8.2	BSW
	205/55R16	91	V	632	500A A	8.2	BSW
	225/55ZR16	95	W	654	500A A	8.2	BSW
17	215/45ZR17	91	W	626	500A A	8.2	BSW
	225/45ZR17	94	W	634	500A A	8.2	BSW
	235/45ZR17	97	W	644	500A A	8.2	BSW
	245/45ZR17	95	W	652	500A A	8.2	BSW
	205/50ZR17	93	W	638	500A A	8.2	BSW
	215/50ZR17	91	W	648	500A A	8.2	BSW
	225/50ZR17	94	W	658	500A A	8.2	BSW
	215/55R17	94	V	668	500A A	8.2	BSW
	225/55ZR17	97	W	680	500A A	8.2	BSW
	235/55ZR17	99	W	690	500A A	8.2	BSW
18	225/40ZR18	92	Y	637	500A A	8.2	BSW
	235/40ZR18	95	Y	645	500A A	8.2	BSW
	245/40ZR18	97	Y	653	500A A	8.2	BSW
	215/45ZR18	93	Y	651	500A A	8.2	BSW
	225/45ZR18	91	W	659	500A A	8.2	BSW
	235/45ZR18	94	W	669	500A A	8.2	BSW
	245/45ZR18	96	Y	677	500A A	8.2	BSW
	255/45ZR18	99	Y	687	500A A	8.2	BSW
	225/50ZR18	95	W	683	500A A	8.2	BSW
	235/50ZR18	101	W	693	500A A	8.2	BSW
19	245/40ZR19	94	Y	679	500A A	8.2	BSW
	255/40ZR19	100	Y	687	500A A	8.2	BSW
	225/45ZR19	92	W	685	500A A	8.2	BSW
	245/45ZR19	98	Y	703	500A A	8.2	BSW
20	245/45ZR20	103	Y	728	500A A	8.2	BSW
	275/40ZR20	106	Y	728	500A A	8.2	BSW

LI Load Index  Speed Rating XL Extraload



12–16 Inch



Speed Rating: S–T



60–70 Series

MAXTOUR

MAXTOUR offers high mileage, due to its durable and long-lasting components. The tire is designed to achieve maximum tread life without compromising performance.



Touring



High Performance



Symmetrical

FEATURES & BENEFITS

OPTIMIZED PATTERN PITCH AND STIFFNESS

Quiet and comfort



4-GROOVE DESIGN

Good drainage and Wet performance


ENHANCED TREAD COMPOUND AND LOW VOID-TO-FILL-RATIO


Extended tread life

MAXTOUR

MILEAGE TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
12	155/70R12	73	T	523	620A B	8.9	RWL
	165/70R12	77	T	537	620A B	9	RWL
	175/70R12	80	S	551	620A B	9.1	BSW
14	185/60R14	82	T	578	620A B	9.0	BSW
	185/65R14	86	T	596	620A B	9	BSW
	185/70R14	88	T	616	620A B	9.2	BSW
15	195/60R15	88	T	615	620A B	9.1	BSW
	195/65R15	91	T	635	620A B	9.1	BSW
	235/70R15	103	T	711	620A B	9.1	BSW
16	235/60R16	100	T	688	620A B	9.5	BSW
	215/65R16	98	T	686	620A B	9.3	BSW

LI Load Index  Speed Rating XL Extraload



COMFORT - ALL GROUND PERFORMANCE TIRE



14-18 Inch



Speed Rating: H-W



50-70 Series

FE2 **NEW**

"FE2 is a great all-around tire, bringing comfort, mileage, and wet driving strengths to drivers for a wide range of sizes and vehicles. Extra fuel-efficiency and low noise generation add value to this offering."



Asymmetrical



Comfort



Handling




Low Noise




Water Evaporation

— Champiro FE1

— FE2



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
14	185/60R14	82	H	578	420AA	8.0	BSW
	175/65R14	82	T	584	420A A	8.0	BSW
	165/70R14	81	T	588	420A A	8.0	BSW
15	195/50R15	82	V	577	420A A	8.0	BSW
	185/55R15	82	V/H	585	420A A	8.0	BSW
	195/55R15	85	V/H	595	420A A	8.0	BSW
	185/60R15	88	H	603	420A A	8.0	BSW
	195/60R15	88	V/H	615	420A A	8.0	BSW
	175/65R15	88	H/T	609	420A A	8.0	BSW
	185/65R15	88	H/T	621	420A A	8.0	BSW
	195/65R15	95	H	635	420A A	8.0	BSW
	195/65R15	91	H/V	635	420A A	8.0	BSW
16	195/55R16	87	H	620	420A A	8.0	BSW
	195/55R16	91	V	620	420A A	8.0	BSW
	205/55R16	91	H/V/W	632	420A A	8.0	BSW
	215/55R16	97	W	642	420A A	8.0	BSW
	225/55R16	99	W	654	420A A	8.0	BSW
	205/60R16	92	H	652	420A A	8.0	BSW
	205/60R16	96	V	652	420A A	8.0	BSW
	215/60R16	99	V	664	420A A	8.0	BSW
	215/65R16	98	H	686	420A A	8.0	BSW
17	205/50R17	93	W	638	420A A	8.0	BSW
	215/50R17	95	W	648	420A A	8.0	BSW
	225/50R17	98	Y	658	420A A	8.0	BSW
	205/55R17	95	W	658	420A A	8.0	BSW
	215/55R17	94	W	668	420A A	8.0	BSW
	225/55R17	101	Y	680	420A A	7.6	BSW
	235/55R17	99	V	690	420A A	8.0	BSW
	215/60R17	96	H	690	420A A	8.0	BSW
	225/60R17	99	V	702	420A A	8.0	BSW
	215/65R17	99	V	712	420A A	8.0	BSW
	225/65R17	102	V	724	420A A	8.0	BSW
	235/65R17	108	V	738	420A A	8.0	BSW
	225/50R18	99	W	683	420A A	8.0	BSW
18	235/50R18	97	V	693	420A A	8.0	BSW
	215/55R18	99	V	693	420A A	8.0	BSW
	225/55R18	98	V	705	420A A	8.0	BSW
	235/55R18	104	V	715	420A A	8.0	BSW
	225/60R18	100	V	727	420A A	8.0	BSW
	235/60R18	103	V	739	420A A	8.0	BSW
	235/60R18	107	W	739	420A A	8.0	BSW

FEATURES & BENEFITS

► Innovative **new tread compound** for extremely short braking distances – Wet label A

► Great driving **comfort** and **precise handling**

► Improved rolling resistance for **lower emissions** and fuel savings

► 4 Wide grooves for **exceptional water drainage** (3 grooves for sections <195)

► Advance tyre profile with **optimal pressure distribution**. Excellent mileage and even wear





COMFORT - ALL GROUND PERFORMANCE TIRE



15-16 Inch



Speed Rating: T-V



50-65 Series

CHAMPIRO FE1

"The CHAMPIRO FE1 combines quiet, comfortable driving behavior and ideal handling with outstanding performance and fuel economy."



Asymmetrical



Comfort



Handling



Low Noise



Water Evacuation

FEATURES & BENEFITS

EDGES OF SIPES AND BLOCK

Penetrate water film and evacuate water between the tire rubber and the road

NEW GENERATION, HIGH-TECH COMPOUND


Provide great wet grip and overall performance, while maintaining comfort

ADVANCED TREAD COMPOUND

Reduces heat generation and lowers tire rolling resistance

WIDE LONGITUDINAL GROOVES


Allow for improved performance in wet conditions and efficient water dispersment




CHAMPIRO FE1

COMFORT - ALL GROUND PERFORMANCE TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	205/60R15	91	V	627	420A A	7.7	BSW
	185/65R15	92	T	621	420A A	7.7	BSW
	205/65R15	94	V	647	420A A	7.7	BSW
16	195/50R16	88	V	602	420A A	7.7	BSW
	205/55R16	94	V	632	420A A	7.7	BSW

LI Load Index  Speed Rating **XL** Extraload



COMFORT - ALL GROUND PERFORMANCE TIRE



13-18 Inch



Speed Rating: H-V



50-75 Series

CHAMPIRO VP1

As a versatile tire, CHAMPIRO VP1 balances control, comfort, security and high mileage in all weather conditions. It is designed especially for drivers of family sedans, wagons and crossovers.



Low Noise



Comfort



Water Evacuation


FEATURES & BENEFITS

OPTIMIZED TREAD BLOCK DESIGN WITH INTEGRAL LATERAL GROOVES AND SIPES

Provides better wet handling and reduces road noise

CONTINUOUS CIRCUMFERENTIAL CENTER RIB

Improves straight line stability and uniform tread life



ADVANCED TREAD COMPOUND

Generates excellent grip in wet and dry conditions, and delivers reduced rolling resistance for better fuel efficiency

FOUR DEEP, WIDE CIRCUMFERENTIAL TREAD GROOVES

Short braking distances on wet and dry roads, REDUCED AQUAPLANING


STABLE SHOULDER BLOCK WITH LATERAL GROOVE


Reduces tread block movement and ensures quick steering response and cornering grip

CHAMPIRO VP1

COMFORT - ALL GROUND PERFORMANCE TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
13	155/65R13	73	T	532	420A B	7.4	BSW
	145/70R13	71	T	534	420A B	7.3	BSW
	155/70R13	75	T	548	420A B	7.4	BSW
	165/70R13	79	T	562	420A B	7.5	BSW
	175/70R13	82	T	576	420A B	7.6	BSW
	185/70R13	86	T	590	420A B	7.7	BSW
14	185/60R14	82	H	578	420A B	7.7	BSW
	165/65R14	79	T	570	420A B	7.5	BSW
	175/65R14	82	T	584	420A B	7.6	BSW
	185/65R14	86	H	596	420A B	7.7	BSW
	165/70R14	81	T	588	420A B	7.5	BSW
	175/70R14	88	T	602	420A B	7.6	BSW
	185/70R14	88	H	616	420A B	7.7	BSW
	195/70R14	91	T	630	420A B	7.8	BSW
	205/70R14	98	T	644	420A B	7.9	BSW
15	185/75R14	89	T	634	420A B	7.5	BSW
	195/50R15	82	V	577	420A B	7.9	BSW
	185/55R15	82	H	585	420A B	7.8	BSW
	195/55R15	85	H	595	420A B	7.9	BSW
	185/60R15	84	H	603	420A B	7.8	BSW
	195/60R15	88	H	615	420A B	7.8	BSW
	205/60R15	91	H	627	420A B	7.9	BSW
	175/65R15	84	H	609	420A B	7.6	BSW
	185/65R15	88	H	621	420A B	7.9	BSW
	195/65R15	91	H	635	420A B	7.8	BSW
	205/65R15	94	H	647	420A B	7.9	BSW
	P205/70R15	95	T	669	420A B	7.9	BSW
	P215/70R15	97	T	683	420A B	8.0	BSW
	P235/75R15	105	S	733	420A B	8.1	BSW
16	195/55R16	91	H	620	420A B	7.9	BSW
	205/55R16	91	V	632	420A B	8.0	BSW
	205/60R16	92	H	652	420A B	7.9	BSW
	215/60R16	95	H	664	420A B	8.0	BSW
	225/60R16	98	H	676	420A B	8.1	BSW
	235/60R16	100	H	688	420A B	8.1	BSW
	215/65R16	98	T	686	420A B	8.0	BSW
17	235/55R17	99	H	690	420A B	8.1	BSW
	P215/60R17	95	T	690	420A B	8.0	BSW
	P225/60R17	98	T	702	420A B	8.1	BSW
	235/60R17	102	T	714	420A B	8.1	BSW
	225/65R17	102	H	724	420A B	8.1	BSW
	P235/65R17	103	T	738	420A B	8.1	BSW
18	P225/60R18	99	H	727	420A B	8.1	BSW

LI Load Index  Speed Rating **XL** Extraload



HIGHWAY TERRAIN TIRE



15–20 Inch



Speed Rating: H–V



55–85 Series

SAVERO HT2

“SAVERO HT2 is a premium all-season highway light truck and SUV tire. It features a superior tread design that provides strong handling in both wet and dry condition, delivering a comfortable ride and long mileage..”



Highway Terrain



Symmetrical



All Season



Handling



Water Evacuation

FEATURES & BENEFITS

SUPERIOR TREAD PATTERN DESIGN

Excellent handling and ride comfort

OPTIMIZED CASING TENSION TECHNOLOGY

Excellent balance of dry and wet handling

NEW TREAD COMPOUND

Outstanding grip and stability

ADVANCED NOISE CANCELLING TECHNOLOGY IN TREAD BLOCK DESIGN


Effectively reduces road noise




SAVERO HT2

HIGHWAY TERRAIN TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	255/70R15C LT	112/110	S	739	-	10.2	OWL
	P235/75R15	105	T	733	520A B	8.2	OWL
16	P215/70R16	99	T	708	520A B	8.2	BSW
	P225/70R16	101	T	722	520A B	8.2	OWL
	P235/70R16	104	T	736	520A B	8.2	OWL
	P245/70R16	106	T	750	520A B	8.2	OWL
	P255/70R16	109	T	764	520A B	8.2	OWL
	P265/70R16	111	T	778	520A B	8.2	OWL
	P245/75R16	109	T	774	520A B	8.2	OWL
	LT235/85R16	120/116	R	806	-	10.2	BSW
17	225/65R17	102	H	724	520A B	8.2	BSW
	P235/65R17	103	T	738	520A B	8.2	BSW
	P245/65R17	105	T	750	520A B	8.2	BSW
	P265/65R17	110	T	776	520A B	8.2	OWL
	P265/70R17	113	T	804	520A B	8.2	OWL
18	235/60R18	107	V	739	520A B	8.2	BSW
	P245/60R18	104	H	751	520A B	8.2	BSW
	P265/60R18	109	T	775	520A B	8.2	OWL
	P275/65R18	114	T	815	520A B	8.2	BSW
19	P245/55R19	103	S	753	520A B	8.2	BSW
20	P275/55R20	111	H	810	520A B	8.2	BSW
	P275/60R20	114	S	838	520A B	8.2	OWL

LI Load Index  Speed Rating XL Extraload



HIGHWAY TERRAIN TIRE



15-17 Inch



Speed Rating: H-T



60-80 Series

SAVERO HT PLUS

SAVERO HT PLUS is designed especially for pick-ups, light trucks, and SUVs to deliver a high degree of both comfort and control and long mileage.




FEATURES & BENEFITS

FOUR VERTICAL CIRCUMFERENTIAL GROOVE

High-speed performance and excellent water dispersion

INTERLACED STREAMLINE HORIZONTAL GROOVES, ASSIST WITH COMPLEX STRIAE EDGE GROOVES

Improved traction also suitable for snow driving



OPEN SHOULDER GROOVES

Better heat dissipation and turning capability


"S" SHAPE PERFECT STRUCTURE DESIGN


Improved handling and durability

SAVERO HT PLUS

HIGHWAY TERRAIN TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	215/80R15	102	S	725	460A B	10.2	BSW
16	255/70R16	111	T	764	460A A	10.3	OWL
17	235/60R17	102	H	714	460A A	8.5	BSW
	265/65R17	112	T	776	460A B	10.3	BSW
	225/70R17	108	T	748	460A B	10.3	OWL

LI Load Index  Speed Rating XL Extraload



15-20 Inch



Speed Rating: H-T



50-85 Series

ADVENTURO AT³

"The ADVENTURO AT³ is an all-terrain tire designed for light truck and SUV drivers seeking aggressive looks with civilized on-road manners. The tire provides excellent handling and wet grip, with a comfortable ride on-road and superb off-road capability."



Symmetrical



All Season



All Terrain

FEATURES & BENEFITS

INTERLOCKED TREAD BLOCKS AND S-SHAPED CENTRAL RIB

Delivers excellent handling stability and improved grip on soft or loose surfaces

FIVE-PITCH PATTERN TECHNOLOGY

Helps reduce road noise for a quieter and more comfortable ride

ENHANCED TREAD COMPOUND

Provides benefits wet and dry grip, longer tread life, and cut / chip resistance

3D GROOVES WITH CHAMFERED EDGES

Consistent off-road performance with reduced stone-drilling

RIM PROTECTOR


Defends wheel against curb damage




ADVENTURO AT³

ALL TERRAIN TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	205/70R15	96	T	669	520A B	10.6	BSW
	P235/75R15	105	S	733	520A B	10.6	OWL
	31x10.50R15LT	109	S	775	-	10.6	OWL
16	245/70R16	111	T	750	520A B	12.6	BSW
	255/70R16	111	T	764	520A B	10.6	OWL
	P235/70R16	104	T	736	520A B	10.6	OWL
	P265/70R16	111	T	778	520A B	10.6	OWL
	LT225/75R16	115/112	S	744	-	12.6	OWL
	LT245/75R16	120/116	S	774	-	12.6	OWL
	LT265/75R16	112/109	S	804	-	12.6	OWL
	LT265/75R16	123/120	S	804	-	12.6	OWL
	LT285/75R16	126/123	R	834	-	12.6	OWL
	P245/75R16	109	T	774	520A B	10.6	OWL
	LT215/85R16	115/112	S	772	-	12.6	OWL
	LT235/85R16	120/116	S	806	-	12.6	BSW
	205R16C LT	110/108	S	736	-	10.6	OWL
17	P245/65R17	105	T	750	520A B	10.6	OWL
	P265/65R17	110	T	776	520A B	10.6	OWL
	LT245/70R17	119/116	S	776	-	12.6	OWL
	LT265/70R17	121/118	S	804	-	12.6	OWL
	LT275/70R17	114/110	R	818	-	12.6	OWL
	LT285/70R17	121/118	S	832	-	12.6	OWL
	P265/70R17	113	T	804	520A B	10.6	OWL
	LT245/75R17	121/118	S	800	-	12.6	OWL
18	LT235/80R17	120/117	S	808	-	10.6	OWL
	P265/60R18	109	T	775	520A B	12.6	OWL
	LT275/65R18	123/120	S	815	-	12.6	OWL
	LT285/65R18	125/122	S	827	-	12.6	OWL
	P265/65R18	112	S	801	520A B	10.6	OWL
	P275/65R18	114	T	815	520A B	10.6	OWL
	LT265/70R18	124/121	S	829	-	12.6	OWL
20	LT275/70R18	125/122	S	843	-	12.6	OWL
	265/50R20	111	T	774	520A B	10.6	BSW
	P265/50R20	106	T	774	520A B	10.6	BSW
	P275/55R20	111	H	810	520A B	10.6	BSW
	LT265/60R20	121/118	S	826	-	12.6	OWL

LI Load Index  Speed Rating XL Extraload



15–16 Inch



Speed Rating: Q–S



70–85 Series

ADVENTURO M/T

“ADVENTURO M/T is a maximum traction tire that is the most aggressive and rugged tire in GT Radial line designed with large, pronounced tread blocks. It provides superb traction on rough, muddy and snowy terrain.”



Symmetrical



All Season



Mud Terrain

FEATURES & BENEFITS

HIGH VOID RATIO AND PYRAMIDAL SHAPED TREAD ELEMENTS

Outstanding directional stability and steering response

REINFORCED CASING CONSTRUCTION

Superior overall resistance to damage

AGGRESSIVE PATTERN DESIGN

Outstanding traction in all weather conditions

SPECIAL CASING PROFILE AND SOLID SHOULDER PATTERN


Enhanced traction and cornering




ADVENTURO M/T

MUD TERRAIN TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	LT235/75R15	104/101	S	739	-	14.6	OWL
	31x10.50R15LT	109	Q	781	-	14.6	OWL
	33x12.50R15LT	108	Q	832	-	14.6	OWL
16	305/70R16LT	118/115	Q	840	-	14.6	OWL
	225/75R16LT	115/112	Q	750	-	12.6	OWL
	245/75R16LT	120/116	Q	780	-	14.6	OWL
	265/75R16LT	123/120	Q	810	-	14.6	OWL
	285/75R16LT	122/119	Q	840	-	14.6	OWL
	235/85R16LT	120/116	Q	812	-	14.6	OWL

LI Load Index  Speed Rating XL Extraload



ALL TERRAIN TIRE



15–16 Inch



Speed Rating: Q–T



70–75 Series

ADVENTURO A/T

An all-terrain tire for light trucks and SUVs designed to provide a great balance of highway and off-highway use for drivers who experience both conditions. The robust tread block design with shoulder-to-shoulder sipes provides excellent traction and cornering grip.



All Terrain



Symmetrical




All Season

FEATURES & BENEFITS

PARTICULAR COMPOUND AND STRUCTURE DESIGN, SUPER DEEP GROOVES
Extend tire's life

UNIQUE BLOCK TREAD DESIGN WITH MULTIPLE SIPES
Extra off road traction



WIDE TREAD PATTERN WITH DEEP SOLID BLOCKS AND LUGS

Delivers superior handling and extended tread life


OPEN SHOULDER DESIGN WITH WIDE GROOVES


Improves anti-hydroplaning capability and provides enhanced wet grip performance

ADVENTURO A/T

ALL TERRAIN TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	LT235/75R15	104/101	S	733	-	12.1	OWL
	30x9.50R15LT	104	S	750	-	12.2	OWL
	31x10.50R15LT	109	Q	775	-	12.6	OWL
16	P275/70R16	114	T	792	400A B	10.2	OWL
	LT225/70R16	102/99	S	722	-	10.7	OWL
	LT265/75R16	112/109	S	804	-	13.2	OWL

LI Load Index  Speed Rating XL Extraload



ALL TERRAIN TIRE



15–20 Inch



Speed Rating: H–T



50–75 Series

SAVERO AT-S

The SAVERO AT-S is premium off-road offering, featuring an attractive and aggressive pattern. Utilizing tank-inspired technology, its durability on all types of road conditions is ideal for the adventurer in you.



All Terrain



Symmetrical



All Season

FEATURES & BENEFITS

OFF-ROAD PERFORMANCE

Crown pattern block with gravel simulation design: Strengthened grip on gravel-paved surface

OFF-ROAD PERFORMANCE

Tread-to-ground contact surface up 10%, higher grip

SAFE AND DURABLE

3.5 mm high "guardrail" protection bar: Blocks gravels to reduce sidewall damage

SAFE AND DURABLE


Crown blocks use gravel bionic design, which improves grip performance on off-road conditions




SAVERO AT-S

ALL TERRAIN TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	31x10.50R15LT	109	S	781	-	12.6	BSW
	LT235/75R15	104/101	S	739	-	12.6	BSW
16	245/70R16	107	T	750	500A B	10.7	BSW
	255/70R16	111	T	764	500A B	10.7	BSW
	265/70R16	112	T	778	500A B	10.7	BSW
	LT265/70R16	121/118	S	784	-	12.6	BSW
	265/75R16	116	T	804	500A B	10.7	BSW
	LT245/75R16	120/116	S	780	-	12.6	BSW
	LT285/75R16	126/123	R	840	-	12.6	BSW
17	265/65R17	112	T	776	500A B	10.7	BSW
	LT265/70R17	121/118	S	810	-	12.6	BSW
	LT285/70R17	121/118	S	838	-	12.6	BSW
18	265/60R18	110	T	775	500A B	10.7	BSW
	265/65R18	114	T	801	500A B	10.7	BSW
	LT275/70R18	125/122	S	849	-	12.6	BSW
20	265/50R20	107	T	774	500A B	10.7	BSW
	33x12.50R20LT	119	R	832	-	14.6	BSW
	35x12.50R20LT	125	R	883	-	14.6	BSW
	275/55R20	113	H	810	500A B	10.7	BSW

LI Load Index  Speed Rating **XL** Extraload



16–19 Inch



Speed Rating: H–V



50–70 Series

SAVERO HT-S

The SAVERO HT-S is a top-level highway-terrain tire, offering great mileage and distance driving - as well as enhanced wet grip and safety features for your driving assurance.



FEATURES & BENEFITS

SAFETY AND MILEAGE

Protection bar design on shoulder prevents sidewall abrasion



CONTROL AND HANDLING

Tread compound with the addition of functional resin and highly dispersible white carbon black
Enhanced grip on wet ground


SAFETY AND MILEAGE


Double-layer casing structure: Stronger casing for high impact resistance

SAVERO HT-S

ALL TERRAIN TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
16	215/65R16	98	H	686	580A A	9.0	BSW
	215/70R16	100	H	708	580A A	9.0	BSW
	225/70R16	103	H	722	580A A	9.0	BSW
	235/70R16	106	T	736	580A A	9.0	BSW
	245/70R16	107	T	750	580A A	9.0	BSW
	255/70R16	111	T	764	580A A	9.0	BSW
	265/70R16	112	T	778	580A A	9.0	BSW
17	225/55R17	97	H	680	580A A	9.0	BSW
	235/55R17	99	H	690	580A A	9.0	BSW
	215/60R17	96	H	690	580A A	9.0	BSW
	225/60R17	99	H	702	580A A	9.0	BSW
	235/60R17	102	H	714	580A A	9.0	BSW
	225/65R17	102	H	724	580A A	9.0	BSW
	245/65R17	107	H	750	580A A	9.0	BSW
	265/65R17	112	T	776	580A A	9.0	BSW
	235/65R17	104	H	738	580A A	9.0	BSW
	265/70R17	115	H	804	580A A	9.0	BSW
18	235/50R18	97	H	693	580A A	9.0	BSW
	225/55R18	98	H	705	580A A	9.0	BSW
	235/55R18	100	H	715	580A A	9.0	BSW
	235/60R18	103	H	739	580A A	9.0	BSW
	245/60R18	105	H	751	580A A	9.0	BSW
	255/60R18	108	H	763	580A A	9.3	BSW
	265/60R18	110	H	775	580A A	9.0	BSW
19	235/55R19	101	V	741	580A A	9.0	BSW
	245/55R19	103	H	753	580A A	9.0	BSW

LI Load Index  Speed Rating XL Extraload



URBAN AND REGIONAL TIRE



12–17 Inch



Speed Rating: N–T



60–75 Series

MAXMILER Pro

“The MAXMILER Pro optimized the rolling resistance by having flat contour design to ensure less tire deformation during rotation under heavy payload. The result lower fuel consumption due to reduced rolling resistance. Features Benefits”



Commercial Van



Low Noise



Mileage



Robust



Wet Handling


FEATURES & BENEFITS

LARGE SHOULDER BLOCK WITH INTEGRATED SIPES

Comfortable and quiet drive

THREE WIDE CIRCUMFERENTIAL GROOVES

Effective dispense water. Reduce aquaplaning and better handling on wet road condition.




CIRCUMFERENTIAL RIB DESIGNED WITH LATERAL SIPES


Excellent grip on both wet and dry road condition. Lower noise level and improve mileage for longer service

MAXMILER Pro

URBAN AND REGIONAL TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
12	145R12C LT	86/84	N	537	-	8.2	BSW
	155R12C LT	88/86	R	550	-	8.2	BSW
13	145R13C LT	91/89	R	566	-	7.7	BSW
	165R13C LT	94/92	R	596	-	8.7	BSW
	175R13C LT	97/95	R	610	-	8.3	BSW
14	175/65R14C LT	90/88	T	584	-	9.2	BSW
	205/75R14C LT	109/107	S	664	-	10.2	WR
	185R14C LT	102/100	R	650	-	9.9	BSW
	195R14C LT	106/104	R	666	-	9.7	BSW
	205R14C LT	109/107	P	686	-	10.2	BSW
15	215/65R15C LT	104/102	T	661	-	10.2	BSW
	195/70R15C LT	104/102	R	655	-	10.2	BSW
	205/70R15C LT	106/104	R	669	-	10.2	BSW
	215/70R15C LT	109/107	S	683	-	10.2	BSW
	225/70R15C LT	112/110	R	697	-	10.7	BSW
	195R15C LT	106/104	S	690	-	10.2	BSW
16	195/60R16C LT	99/97	H	640	-	9.2	BSW
	215/60R16C LT	103/101	H	664	-	9.2	BSW
	195/65R16C LT	104/102	T	660	-	9.7	BSW
	205/65R16C LT	107/105	T	672	-	10.2	BSW
	215/65R16C LT	109/107	T	686	-	10.2	BSW
	225/65R16C LT	112/110	T	698	-	10.2	BSW
	235/65R16C LT	121/119	R	712	-	10.7	BSW
	215/70R16C LT	108/106	T	708	-	10.2	BSW
	185/75R16C LT	104/102	T	684	-	9.7	BSW
	195/75R16C LT	107/105	R	698	-	10.2	BSW
	205/75R16C LT	113/111	R	714	-	10.2	BSW
	215/75R16C LT	116/114	R	728	-	10.2	BSW
	225/75R16C LT	121/120	R	744	-	10.7	BSW
17	215/60R17C LT	109/107	T	690	-	9.2	BSW
	235/60R17C LT	117/115	R	714	-	10.7	BSW

LI Load Index  Speed Rating XL Extraload



URBAN AND REGIONAL TIRE



12–14 Inch



Speed Rating: N–Q

MAXMILER-X

MAXMILER-X provides superior carrying ability with good mileage.



Light truck




Asymmetrical

FEATURES & BENEFITS

VERTICAL AND OPEN HORIZONTAL GROOVE ARRANGEMENT

Provides excellent wet and dry grip



REINFORCED CONSTRUCTION COMPRISING OF TWO STEEL BELTS AND FULL NYLON PROTECTOR

Delivers robust load carrying capability


SPECIALLY DESIGNED TREAD COMPOUND


Delivers maximum mileage performance with reduced heat

MAXMILER-X

URBAN AND REGIONAL TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
12	145R12C LT	80/78	Q	537	-	8.1	BSW
13	155R13 LT	90/88	Q	578	-	8.1	BSW
	175R13C LT	97/95	N	610	-	8.3	BSW
14	175R14C LT	99/98	N	634	-	8.3	BSW
	195R14C LT	106/104	N	668	-	8.7	BSW

LI Load Index  Speed Rating **XL** Extraload

URBAN AND REGIONAL TIRE



15-16 Inch



Speed Rating: N

SUPER TRAVELLER 668

SUPER TRAVELLER 668 is built for light buses and commercial light trucks.



Light truck



Symmetrical

FEATURES & BENEFITS

ROBUST CASING AND BEAD

For resistance to road hazard damage

4 LONGITUDINAL GROOVES

Excellent water evacuation for good wet performance

ROBUST AND SOLID PATTERN DESIGN

Provide good performance and protection in severe usage

SOLID SHOULDER DESIGN


Improve stability, wear and protection




SUPER TRAVELLER 668

URBAN AND REGIONAL TIRE



Rim	Size	LI		Overall Diameter (MM)	UTQG	Tread Depth (MM)	Side Wall
15	7.00R15 LT	110/105	N	750	-	10.7	BSW
16	6.50R16 LT	108/107	N	750	-	9.7	BSW
	7.00R16 LT	115/110	N	775	-	10.7	BSW
	7.50R16 LT	122/118	N	805	-	11.2	BSW

LI Load Index  Speed Rating **XL** Extraload



Disclaimer

The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure the product information provided is accurate and up to date at time of printing. We reserve the right to change ranges, descriptions, modify, or substitute products without notice.

Giti cannot be held liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this catalogue.